



CofC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re: Patent No. 7,011,428

Application No.: 10/625,297

Issue Date: March 14, 2006

Inventor: Mitchell Cecil Hand

Certificate

MAY 03 2006

of Correction

REQUEST FOR CERTIFICATE OF CORRECTION

Honorable Commissioner for Patents

Alexandria, Virginia 22313


Request is hereby made for correction of a Patent Office printing error in U.S. Patent 7,011,428. The error occurs in the patent in Claim 1, Column 6, line 64, wherein "for" should be -- forming --.

A copy of page 2 of the Amendment mailed October 5, 2005 amending claim 1 is enclosed. You will note that the word "forming" correctly appears.

A completed "Certificate of Correction" is enclosed.

2010 West 7<sup>th</sup> Street  
Coffeyville, Kansas 67337

Respectfully submitted,

  
Kenneth E. Darnell  
Reg. No. 26541  
620 251 1947

Certificate of Mailing: I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to Commissioner for Patents, PO Box 1450, Alexandria, Virginia 22313, this 25th day of April, 2006.

Date 4-25-06

  
Kenneth E. Darnell, Reg. No. 26541

MAY 4 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 7,011,428 B1

APPLICATION NO.: 10/625,297

ISSUE DATE : March 14, 2006

INVENTOR(S) : Mitchell Cecil Hand

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6, line 64, delete "for" and insert — forming —.

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

Kenneth E. Darnell  
2010 West 7th Street  
Coffeyville, Kansas 67337

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*

MAY 4 2006

## Amendments to Claims

1. (Currently Amended) A method for fabrication of a luminaire, comprising the steps of:

~~selecting a pattern evocative of an association on the part of an intended user of the luminaire with a person, place or thing; and,~~

forming a diamond tread plate the pattern on at least certain surfaces of the luminaire, said pattern being impervious to light and visible to the user on use of the luminaire in a normally intended manner, the pattern being evocative of an association on the part of an intended user of the luminaire with a motor sport activity.

2. **Canceled**

3. (original) The method of claim 1 wherein the luminaire is a shoplight.

4. **Canceled**

5. (Currently Amended) The method of claim 4 3 wherein the shoplight comprises a housing portion and at least one reflector portion.

6. (original) The method of claim 5 wherein the housing portion and the reflector portion are integrally formed.

7. (original) The method of claim 6 wherein the material comprising the housing portion also comprises the reflector portion.

8. **Canceled**

9. (Currently Amended) A luminaire comprising:

surfaces visible to a user on ordinary operation of the luminaire; and,

a diamond tread plate pattern formed on at least portions of the surfaces of the luminaire, the surfaces having the pattern formed thereon being impervious to light, the